	Type	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	32	blind with identification with source$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/12/06 16:54	
2	BRS	442	blind with identification	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/12/06 17:43	
3	BRS	2	blind with identification with receiv$3 same matrix	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/12/06 17:00	
4	BRS	2816	702/66,79,80,111,124,126,1 47,149,187,189,190,191,196 .ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/12/06 16:24	
5	BRS	2688	324/309.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/12/06 16:24	
6	BRS	274	342/147.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/12/06 16:25	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
7	BRS	1553	455/63.1,303,304.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/12/06 16:25	
8	BRS	2281	375/324,325,340.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/12/06 16:25	
9	BRS	2	blind with identification and identify$3 with (matrix or matrices) with direction$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/12/06 17:13	
10	BRS	2	blind with identification and identify$3 with (matrix or matrices) with direct$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/12/06 17:14	
11	BRS	48	blind with identification and (matrix or matrices) with direct$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/12/06 17:14	
12	BRS	25	blind with identification and (matrix or matrices) with direction$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/12/06 17:15	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
13	BRS	9	blind with identification and (matrix or matrices) with direction$1 with vector$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:15	
14	BRS	1	blind with identification and (matrix or matrices) with direction$1 with source	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:21	
15	BRS	2	blind with identification and (matrix or matrices) with direction$1 with source$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:21	
16	BRS	10	blind with identification with source$1 and (matrix or matrices) with direction$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:22	
17	BRS	9	blind with identification with source$1 and (matrix or matrices) with direction$1 with vector$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:22	
18	BRS	9	blind with identification with source$1 and (matrix or matrices) with direction$1 with vector$1 and source$1 with receiver$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:22	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
19	BRS	1	blind with identification with source$1 and (matrix or matrices) with direction$1 with vector$1 and source$1 with receiver$1 and circular with statistics	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:22	
20	BRS	1	blind with identification with source$1 and circular with statistics	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:23	
21	BRS	1	blind with identification and circular with statistics	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:24	
22	BRS	2	blind with source$1 and circular with statistics	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:24	
23	BRS	56	blind with source$1 and (separat$3 or circular) with statistics	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:24	
24	BRS	1	blind with source$1 and (separat$3 or circular) with statistics with redundant$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:25	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
25	BRS	1	blind with source$1 and (separat$3 or circular) with statistics same redundant$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:25	
26	BRS	3	blind with source$1 and source with redundant$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:26	
27	BRS	3052	375/259,324,325,340.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:28	
28	BRS	2935	714/751,755,786,795,794.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:29	
29	BRS	16563	370/235,228,349,232,252,389,391,394,399,422,467,216,320,392,477,242,256.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:29	
30	BRS	0	(self adj learn$3 or self-learned or blind) with (separate or identification) and source with redundant$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:30	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
31	BRS	1	(self adj learn$3 or self-learned or blind) with (separate or identification) and source$1 with redundant$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:30	
32	BRS	2	(self adj learn$3 or self-learned or blind) with (separate or identification) with redundant$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:30	
33	BRS	6	(self adj learn$3 or self-learned or blind) with (separate or identification) and order$3 with redundant$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:31	
34	BRS	66	(self adj learn$3 or self-learned or blind) with (separate or identification) and source$ with receiver$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:31	
35	BRS	66	(self adj learn$3 or self-learned or blind) with (separate or identification) and source$1 with receiver$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:31	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
36	BRS	2	(self adj learn$3 or self-learned or blind) with (separate or identification) and sources with receivers and even with order$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:31	
37	BRS	22	(self adj learn$3 or self-learned or blind) with (separate or identification) and source$ with receiver$ and even with order$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:32	
38	BRS	0	(self adj learn$3 or self-learned or blind) with (separate or identification) and source$ with receiver$ and even with order$3 with redundan$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:38	
39	BRS	0	(self adj learn$3 or self-learned or blind) with (separate or identification) and source$ with receiver$ and even with order$3 same redundan$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:39	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
40	BRS	288	381/94.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:37	
41	BRS	3020	702/66,79,80,111,124,126,1 47,149,187,189,190,191,196 .ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 16:25	
42	BRS	2971	324/147,309.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 16:24	
43	BRS	1650	455/63.1,303,304.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 16:25	
44	BRS	2383	375/324,325,340.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 16:25	
45	BRS	284	342/147.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 16:25	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
46	BRS	10275	702/66,79,80,111,124,126,1 47,149,187,189,190,191,196 .ccls. or 324/147,309.ccls. or 455/63.1,303,304.ccls. or 375/324,325,340.ccls. or 342/147.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 16:27	
47	BRS	21	(702/66,79,80,111,124,126, 147,149,187,189,190,191,19 6.ccls. or 324/147,309.ccls. or 455/63.1,303,304.ccls. or 375/324,325,340.ccls. or 342/147.ccls.) and blind with identification	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_	2005/12/06 16:30	
48	BRS	8	(702/66,79,80,111,124,126, 147,149,187,189,190,191,19 6.ccls. or 324/147,309.ccls. or 455/63.1,303,304.ccls. or 375/324,325,340.ccls. or 342/147.ccls.) and blind with identification with source$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 16:31	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
49	BRS	4	(702/66,79,80,111,124,126, 147,149,187,189,190,191,19 6.ccls. or 324/147,309.ccls. or 455/63.1,303,304.ccls. or 375/324,325,340.ccls. or 342/147.ccls.) and blind with identification with matrix	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 16:31	
50	BRS	5	(702/66,79,80,111,124,126, 147,149,187,189,190,191,19 6.ccls. or 324/147,309.ccls. or 455/63.1,303,304.ccls. or 375/324,325,340.ccls. or 342/147.ccls.) and blind with identification with (matrix or matrices)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 16:31	
51	BRS	9	(702/66,79,80,111,124,126, 147,149,187,189,190,191,19 6.ccls. or 324/147,309.ccls. or 455/63.1,303,304.ccls. or 375/324,325,340.ccls. or 342/147.ccls.) and blind with identification same (matrix or matrices)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 16:33	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
52	BRS	0	(702/66,79,80,111,124,126, 147,149,187,189,190,191,19 6.ccls. or 324/147,309.ccls. or 455/63.1,303,304.ccls. or 375/324,325,340.ccls. or 342/147.ccls.) and blind with identification with receiver same (matrix or matrices)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 16:33	
53	BRS	2	(702/66,79,80,111,124,126, 147,149,187,189,190,191,19 6.ccls. or 324/147,309.ccls. or 455/63.1,303,304.ccls. or 375/324,325,340.ccls. or 342/147.ccls.) and blind with identification with receiv$3 same (matrix or matrices)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 16:33	
54	BRS	471	blind with identification	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 16:55	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
55	BRS	32	blind with identification with source$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 16:55	
56	BRS	9	blind with identification with matrix	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:00	
57	BRS	11	blind with identification with (matrices or matrix)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:00	
58	BRS	23	blind with identification same matrix	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:00	
59	BRS	26	blind with identification same (matrices or matrix)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:00	
60	BRS	3	blind with identification with receiv$3 same (matrices or matrix)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:02	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
61	BRS	85	blind with identification and receiv$3 same (matrices or matrix)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:02	
62	BRS	65	blind with identification and receiv$3 with (matrices or matrix)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:03	
63	BRS	24	blind with identification and receiv$3 with source$1 same (matrices or matrix)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:03	
64	BRS	17	blind with identification and receiver$1 with source$1 same (matrices or matrix)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:03	
65	BRS	10	blind with identification and receiver$1 with source$1 same (matrices or matrix) and direction with vector$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:04	
66	BRS	1	blind with identification and receiver$1 with source$1 same (matrices or matrix) and direction with vector$1 with statist$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:04	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
67	BRS	1	blind with identification and receiver$1 with source$1 same (matrices or matrix) and direction with vector$1 same statist$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:04	
68	BRS	2	blind with identification and identify$3 with (matrix or matrices) with direction$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:13	
69	BRS	2	blind with identification and identify$3 with (matrix or matrices) with direct$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:14	
70	BRS	50	blind with identification and (matrix or matrices) with direct$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:14	
71	BRS	25	blind with identification and (matrix or matrices) with direction$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:15	
72	BRS	9	blind with identification and (matrix or matrices) with direction$1 with vector$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:15	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
73	BRS	1	blind with identification and (matrix or matrices) with direction$1 with source	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/12/06 17:15	
74	BRS	2	blind with identification and (matrix or matrices) with direction$1 with source$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/12/06 17:17	
75	BRS	10	blind with identification with source$1 and (matrix or matrices) with direction$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/12/06 17:17	
76	BRS	1	blind with identification and (matrix or matrices) with direction$1 with source	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/12/06 17:21	
77	BRS	2	blind with identification and (matrix or matrices) with direction$1 with source$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/12/06 17:22	
78	BRS	10	blind with identification with source$1 and (matrix or matrices) with direction$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/12/06 17:22	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
79	BRS	9	blind with identification with source$1 and (matrix or matrices) with direction$1 with vector$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:22	
80	BRS	9	blind with identification with source$1 and (matrix or matrices) with direction$1 with vector$1 and source$1 with receiver$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:22	
81	BRS	1	blind with identification with source$1 and (matrix or matrices) with direction$1 with vector$1 and source$1 with receiver$1 and circular with statistics	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:22	
82	BRS	1	blind with identification with source$1 and circular with statistics	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:23	
83	BRS	1	blind with identification and circular with statistics	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:24	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
84	BRS	2	blind with source$1 and circular with statistics	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/12/06 17:24	
85	BRS	60	blind with source$1 and (separat$3 or circular) with statistics	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/12/06 17:24	
86	BRS	1	blind with source$1 and (separat$3 or circular) with statistics with redundant$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/12/06 17:25	
87	BRS	1	blind with source$1 and (separat$3 or circular) with statistics same redundant$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/12/06 17:25	
88	BRS	18	blind with source$1 and source with redundant$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/12/06 17:26	
89	BRS	3227	375/259,324,325,340.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/12/06 17:28	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
90	BRS	3018	714/751,755,786,795,794.cc ls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:29	
91	BRS	17807	370/235,228,349,232,252,38 9,391,394,399,422,467,216, 320,392,477,242,256.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:29	
92	BRS	0	(self adj learn$3 or self-learned or blind) with (separate or identification) and source with redundant$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:30	
93	BRS	1	(self adj learn$3 or self-learned or blind) with (separate or identification) and source$1 with redundant$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:30	
94	BRS	2	(self adj learn$3 or self-learned or blind) with (separate or identification) with redundant$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:30	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
95	BRS	6	(self adj learn$3 or self-learned or blind) with (separate or identification) and order$3 with redundant$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:31	
96	BRS	70	(self adj learn$3 or self-learned or blind) with (separate or identification) and source$ with receiver$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:31	
97	BRS	70	(self adj learn$3 or self-learned or blind) with (separate or identification) and source$1 with receiver$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:31	
98	BRS	2	(self adj learn$3 or self-learned or blind) with (separate or identification) and sources with receivers and even with order$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:32	
99	BRS	23	(self adj learn$3 or self-learned or blind) with (separate or identification) and source$ with receiver$ and even with order$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:32	

Type	Hits	Search Text	DBs	Time Stamp	Comments
100 BRS	311	381/94.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:37	
101 BRS	0	(self adj learn$3 or self-learned or blind) with (separate or identification) and source$ with receiver$ and even with order$3 with redundan$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:38	
102 BRS	0	(self adj learn$3 or self-learned or blind) with (separate or identification) and source$ with receiver$ and even with order$3 same redundan$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:39	
103 BRS	0	(self adj learn$3 or self-learned or blind) with (separate or identification) and source$ with receiver$ and even with order$3 same redundan$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_	2005/12/06 17:39	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
104	BRS	15	blind with identification and full with rank$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/12/06 17:43	
105	BRS	14	blind with identification and full with rank$3 with (matrix or matrices)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/12/06 17:43	
106	BRS	3	blind with identification and full with rank$3 with (matrix or matrices) with source$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/12/06 17:47	
107	IS&R	2	("6693591").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/12/06 17:47	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
104	BRS	15	blind with identification and full with rank$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:43	
105	BRS	14	blind with identification and full with rank$3 with (matrix or matrices)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:43	
106	BRS	3	blind with identification and full with rank$3 with (matrix or matrices) with source$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:47	
107	IS&R	2	("6693591").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/06 17:47	

Type	Hits	Search Text	DBs	Time Stamp	Comments
108 BRS	34	(702/66,79,80,111,124,126, 147,149,187,189,190,191,19 6.ccls. or 324/147,309.ccls. or 455/63.1,303,304.ccls. or 375/324,325,340.ccls. or 342/147.ccls. or 375/259,324,325,340.ccls. or 714/751,755,786,795,794.cc ls. 370/235,228,349,232,252,38 9,391,394,399,422,467,216, 320,392,477,242,256.ccls.) and blind with identification	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/12/07 08:35	

	U	1	Document ID	Issue Date	Pages	Title	Current OR	Current XRef	Retrieval Classif
1			US 20050002461 A1	20050106	28	Channel estimation for block transmissions over time-and frequency-selective wireless fading channels	375/259		375/259
2	X	X	US 20040260522 A1	20041223	17	Method for the higher-order blind identification of mixtures of sources	702/189		702/189
3	X		US 20040247054 A1	20041209	17	Method and device for the fourth-order, blind identification of an under-determined mixture of sources	375/340		375/340
4	X		US 20040204878 A1	20041014	23	System and method for waveform classification and characterization using multidimensional higher-order statistics	702/66		702/66

	U	1	Document ID	Issue Date	Pages	Title	Current OR	Current XRef	Retrieval Classif
5	X		US 20040174941 A1	20040909	37	Apparatus and method for decoding	375/340		375/340
6	X		US 20040165571 A1	20040826		Components and methods for processing in wireless communication data in presence of format uncertainty	370/349		370/349
7	X		US 20040014424 A1	20040122	10	Receiver	455/63.1	455/296	455/63.1
8	X	X	US 20030204380 A1	20031030	46	Blind source separation utilizing a spatial fourth order cumulant matrix pencil	702/189		702/189
9	X		US 20030039324 A1	20030227		Decoding device and decoding method	375/341	714/794	714/794